

BARNEBEY AND SUTCLIFFE CORP -- ACTIVATED CARBON TYPE KE

=====

MSDS Safety Information

=====

FSC: 6850

MSDS Date: 05/06/1996

MSDS Num: CDQSM

LIIN: 00F019767

Product ID: ACTIVATED CARBON TYPE KE

MFN: 03

Responsible Party

Cage: FO986

Name: BARNEBEY AND SUTCLIFFE CORP

Address: 835 N CASSADY AVE

Box: 2526

City: COLUMBUS OH 43216-2526

Info Phone Number: 614-258-4744/614-258-9501

Emergency Phone Number: 614-258-9501/614-258-4744

Preparer's Name: MOHAMMED A BAYATI

Review Ind: Y

Published: Y

=====

Preparer Co. when other than Responsible Party Co.

=====

Cage: FO986

Assigned Ind: Y

Name: BARNEBEY AND SUTCLIFFE CORPORATION

Address: 835 N CASSADY AVE

Box: 2526

City: COLUBUS OH 43216

=====

Contractor Summary

=====

Cage: FO986

Name: BARNEBEY AND SUTCLIFFE CORPORATION

Address: 835 N CASSADY AVE

Box: 2526

City: COLUBUS OH 43216

Phone: (614) 258-9501

Cage: 85335

Name: BARNEBEY-CHENEY CO SUB OF CVI INC

Address: 835 N CASSADY AVE

Box: 2526

City: COLUMBUS OH 43216

Phone: 614-451-2392

=====

Ingredients

=====

Cas: 7440-44-0

RTECS #: FF5250100

Name: CARBON, ACTIVATED CARBON, GRAPHITE

% Wt: 100

OSHA PEL: 10 MG/CUM

ACGIH TLV: 10 MG/CUM

=====

Health Hazards Data

=====

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: SLIGHT IRRITATION OF EYES & NOSE MAY RESULT FROM

CONTACT W/CARBON FIRES.

Explanation Of Carcinogenicity: NONE

Signs And Symptions Of Overexposure: SLIGHT IRRITATION OF EYES & NOSE MAY RESULT FROM CONTACT W/CARBON FINES.

First Aid: EYES: FLUSH W/WATER FOR 15 MINS. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
Handling and Disposal

=====
Spill Release Procedures: SWEEP UP UNUSED CARBON & DISCARD IN REFUSE CONTAINER/REPACKAGE FOR FURTHER USE.

Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Handling And Storage Precautions: AVOID GENERATION OF DUST & FINES DURING HANDLING.

=====
Fire and Explosion Hazard Information

=====
Extinguishing Media: WATER, INERT GAS, NITROGEN & CO2

Fire Fighting Procedures: FLOOD W/PLENTY OF WATER/INERT GAS, SUCH AS NITROGEN & CO2.

Unusual Fire/Explosion Hazard: AUTOIGNITION TEMPERATURE: 644F.

=====
Control Measures

=====
Respiratory Protection: WEAR A NIOSH APPROVED PARTICULATE FILTER.

Ventilation: LOCAL & MECHANICAL EXHAUST VENTILATION.

Protective Gloves: RUBBER

Eye Protection: SAFETY GLASSES

Other Protective Equipment: NOT REQUIRED.

Supplemental Safety and Health: CAUTION: WET ACTIVATED CARBON REMOVES OXYGEN FROM AIR CAUSING A SEVERE HAZARD TO WORKERS INSIDE CARBON VESSELS & ENCLOSED/CONFINED SPACES. BEFORE ENTERING SUCH AN AREA, SAMPLING & WORK PROCEDURES FOR LOW OXYGEN LEVELS SHOULD BE TAKEN TO ENSURE AMPLE OXYGEN AVAILABILITY.

=====
Physical/Chemical Properties

=====
Spec Gravity: 1.9 TO 2.2

Appearance and Odor: BLACK GRANULAR/POWDER W/NO ODOR.

=====
Reactivity Data

=====
Stability Indicator: YES

Stability Condition To Avoid: HIGH CONCENTRATION OF KETONE IN AIR/LIQUID.

Materials To Avoid: STRONG OXIDIZERS, OZONE, LIQUID OXYGEN, CHLORINE, PERMANGANATE, KETONE.

Hazardous Decomposition Products: FIRE: CO.

Hazardous Polymerization Indicator: NO

=====
Toxicological Information

=====
Ecological Information

=====
MSDS Transport Information

=====
Regulatory Information

=====
Other Information

HAZCOM Label

=====

Product ID: ACTIVATED CARBON TYPE KE
Cage: FO986
Assigned IND: Y
Company Name: BARNEBEY AND SUTCLIFFE CORPORATION
Street: 835 N CASSADY AVE
PO Box: 2526
City: COLUMBUS OH
Zipcode: 43216
Health Emergency Phone: 614-258-9501/614-258-4744
Label Required IND: Y
Date Of Label Review: 10/12/1999
Status Code: A
Origination Code: G
Hazard And Precautions: SLIGHT IRRITATION OF EYES & NOSE MAY RESULT FROM
CONTACT W/CARBON FIRES.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.